RTIP ID# (<u>required</u>) 6160002 / IMP170701										
TCWG Consideration Date: 4/23/2019										
Project Descr	iption (clearly des	cribe pi	roject)						
The proposed project is to widen the existing structure (the off-system bridge) over the All-American Canal near the USA/Mexico border approximately 0.7 miles south of State Route (SR) 7. There are no new lanes north of the inspection booths leading to the SR 7. The widened structure would accommodate an additional two new commercial vehicle lanes (for a total of four northbound (NB) commercial vehicle lanes). All widening will occur to the east of the existing structure. In addition, this project would include minimal modification to landscape, drainage, signage, and lighting. The existing NB pedestrian walkway (on the existing structure) would be shifted to the east to facilitate the addition of two new NB passenger vehicle lanes on the existing bridge (continued on page 7).										
Type of Project (use Table 1 on instruction sheet) Not applicable										
County IMPERIAL Caltrans Projects - EA# 11-43050 (EFIS 1118000265)										
Lead Agency:					_		T			
			i one# 9-688-3	3180		ax# 19-688-42	# Email -688-4237 tyler.ho@			
Hot Spot Pollutant of Concern (check one or both) PM2.5 Yes PM10 Yes										
Federal Action	n for wh	nich Projec	ct-Leve	el PM C	onformity is	Needed	(check appropriate box))		
Categorical X Exclusion (NEPA)			A or aft S		FONSI or Final EIS		PS&E or Construction	Other		
Scheduled Date of Federal Action:										
NEPA Assignment – Project Type (check appropriate box)										
- Pγρωρτ - I				Section Exem	on 326 –Cate ption	gorical	Section 327 – Non- Categorical Exemption			
Current Programming Dates (as appropriate)										
	Р	E/Environ	menta	nl	EN	3	ROW	CON		
Start	10/2018				09/20	20	02/2019	09/2020		
End	05/2020				09/20	22	08/2020	09/2022		

Project Purpose and Need (Summary): (attach additional sheets as necessary)

There is major freight congestion due to the physical constraints of the existing bridge over the All-American Canal. Current traffic demands are not being met. There is an economic loss caused by inadequate border infrastructure that is failing to keep pace with the growing levels of trade and additional security requirements. Emissions associated with idling commercial vehicles add to the associated particulate matter and greenhouse gas (GHG) levels that degrade the air quality for the surrounding community.

The main purpose of this proposed project is to address immediate freight efficiency needs near the Calexico Port of Entry (POE). The Proposed project improvements are a critical component of the region's border development strategy to make California's freight system more efficient, competitive, and environmentally sustainable. Widening the bridge over the All-American Canal allows for the expansion of the Calexico East Port of Entry and increases the commercial vehicle inspection lanes. This proposed project will address the current traffic congestion that hinders economic competitiveness and will also reduce border delays (wait-times) and dramatically reduce emissions from idling vehicles.

The widened structure would accommodate an additional two new northbound commercial vehicle lanes with standard shoulders, thus providing increased capacity and congestion relief. The capacity increase due to the proposed widened structure will be supplemented by traffic management strategies.

Surrounding Land Use/Traffic Generators (especially effect on diesel traffic)

Land uses in the project vicinity include predominantly agricultural farm land and port related facilities. There are no single-family residential, school, places of worship, hospital facilities nearby. No changes to surrounding land uses would occur as a result of project implementation. Thus, substantial increases in diesel truck traffic are not expected to occur.

Opening Year: Build and No Build LOS, AADT, % and # trucks, truck AADT of proposed facility Opening Year 2020 vs 2022

2022 No Build: ADT (southbound) = 3,879, ADT (northbound) = 12,869; Truck= 10.10%

2022 Build: ADT (southbound) = 3,995; ADT (northbound) = 13,256;

Note: LOS is exempted due to specialty in this case

RTP Horizon Year / Design Year: Build and No Build LOS, AADT, % and # trucks, truck AADT of proposed facility

Horizon Year 2045

2045 No Build: ADT (southbound) = 12,155, ADT (northbound) = 29,660; Truck = 10.61%

2045 Build: ADT (southbound) = 12,519; ADT (northbound) = 30,550;

Note: LOS is exempted due to specialty in this case

Opening Year: If facility is an interchange(s) or intersection(s), Build and No Build cross-street AADT, % and # trucks, truck AADT Not applicable
RTP Horizon Year / Design Year: If facility is an interchange (s) or intersection(s), Build and No Build cross-street AADT, % and # trucks, truck AADT Not applicable
Describe potential traffic redistribution effects of congestion relief (impact on other facilities)
* Implementation of the proposed project will have long-term beneficial impacts to regional business growth, and visitors to the area by improving safety, operation efficiency, and goods movement in the project area.
* Negligible redistribution effects of congestion relief due to this project. There are no significant other facilities that would be impacted by redistribution due to the project.

Comments/Explanation/Details (attach additional sheets as necessary)

The United States Environmental Protection Agency (EPA) specifies in 40 CFR 93.123(b)(1) that only "projects of air quality concern" (POAQC) are required to undergo a PM2.5 and PM10 hot-spot analysis. EPA defines POAQCs as certain highway and transit projects that involve significant levels of diesel traffic or any other project that is identified by the PM2.5 SIP as a localized air quality concern. A discussion of the proposed project compared to POAQCs, as defined by 40 CFR 93.123(b)(1), is provided below:

(i) New highway projects that have a significant number of diesel vehicles, and expanded highway projects that have a significant increase in the number of diesel vehicles;

The proposed project involves a change in the capacity of the existing Bridge over the All-American River, but would not involve a new or expanded highway. The existing bridge serves as "local terminal roadway" approximately 0.7 miles south of State Route (SR) 7. This proposed project will also reduce border delays (wait-times) and dramatically reduce emissions from idling vehicles. The truck percentage is projected to remain the same or likely higher volume for both the opening year and the horizon year. Total ADT volumes and truck ADT volumes would remain well below the POAQC guidelines of 125,000 ADT and 10,000 truck ADT, respectively. And importantly, less than 1% increases in truck volumes. Thus, it would be expected to have a neutral or positive influence on PM2.5 or PM10 emissions.

(ii) Projects affecting intersections that are at Level-of-Service D, E, or F with a significant number of diesel vehicles, or those that will change to Level-of-Service D, E, or F because of increased traffic volumes from a significant number of diesel vehicles related to the project;

The proposed project has no intersections i.e. no effect on intersection.

(iii) New bus and rail terminals and transfer points that have a significant number of diesel vehicles congregating at a single location;

The proposed project has no bus or rail terminal component or affect any bus terminals or transfer points.

(iv) Expanded bus and rail terminals and transfer points that significantly increase the number of diesel vehicles congregating at a single location; and

The proposed project would not expand any bus terminal, rail terminal, or related transfer point that would increase the number of diesel vehicles congregating at any single location.

(v) Projects in or affecting locations, areas, or categories of sites which are identified in the PM10 or PM2.5 applicable implementation plan or implementation plan submission, as appropriate, as sites of violation or possible violation.

The project site is not in or affecting locations, areas, or categories of sites that are identified in a PM10 or PM2.5 implementation plan. The immediate project area is not considered to be a site of violation or possible violation.

The discussion provided above indicates that the proposed project would not be considered a Project of Air Quality Concern, as defined by 40 CFR 93.123(b)(1)

As documented in the table above, the proposed project is not anticipated to result in any significant increase in truck volumes (less than 1% increase) and future project volumes would not exceed the 10,000 average daily truck trip criteria for a POAQC; and is therefore considered not to be of air quality concern for particulate matter (PM2.5 and PM10)

In summary, the proposed Project meets the CAA requirements and 40 CFR 93.116 without any explicit hot-spot analysis. The proposed project would not create a new, or worsen an existing, PM10 or PM2.5 violation.

Calexico POE Bridge Widening Project Description (continued)

The proposed project would include:

- Constructing a new structure to the east (tying into the existing bridge) to provide an additional two commercial vehicle lanes (for a total of four NB commercial vehicle lanes on the new structure), an 8-foot shoulder and barriers;
- Widening and realigning approach and departure roadways to align with the new lanes on the bridge;
- Shifting the NB pedestrian walkway to the east on the existing structure; This would facilitate the addition of two new NB passenger vehicle lanes on the existing bridge structure. The existing concrete barriers separating the pedestrian walkway from the vehicular traveled way would have to be demolished and reconstructed to the east of its current location. The thickness of the concrete deck would have to be reduced at the location of the existing NB pedestrian walkway.
 - Reconstructing a portion of existing NB pedestrian walkway (north of existing bridge), including potential removal of rock ornament, segments of concrete barrier, and steel fence.
- Constructing a NB pedestrian walkway canopy on the existing structure;
- Constructing embankment north and south of the bridge;
- Constructing bridge abutments to support the new structure north and south of the bridge; It is probable that the foundation of the new abutments will consist of precast concrete pile foundation system.
- Extending Sheet piling to the east, on the north and south ends of the bridge.
- Constructing and realigning appurtenant structures on the bridge and roadways (e.g. signage and lighting);
- Extending an existing cross-culvert, north of the existing bridge, to the east to maintain existing drainage pattern;
- Modify drainage systems, as necessary, to maintain the existing drainage pattern;
- Extending underpass tunnels to the east, south and north of the bridge;
- Performing any needed maintenance on the existing structure (this may include bearing plate bolts at the existing abutments);
- Minimal landscape modifications (e.g. roadways and along the pedestrian walkway); and
- Replace in kind any items modified by construction actives.

There is a staging area being considered on the northeast portion of the General Services Administration (GSA) property.

The result of this project would provide a revised bridge facility with a SB pedestrian walkway, a NB pedestrian walkway and a total of thirteen 13 lanes: two (2) SB passenger, two (2) SB commercial, five (5) NB passenger, and four (4) NB commercial.



2019 Federal Transportation Improvement Program


Imperial County Local Highway Including Amendment 1 (In \$000`s)


ProjectID	County	Air Basin	Model	RTP ID		Program	Route	Begin	End	Signage Begin	Signage End	System	Conformity Category	Amendment
IMP171002	Imperial	SSAB		7120004		NCR29				J		L	EXEMPT - 93.126	0
Description:	•							PTC	1,584			Agency	IMPERIAL COUNTY	
Sidewalk Im	nprovements on	Rio Vista Stre	et in Seele	y California										
Fund		ENG	R/W		Total			2018/2019	2019/2020		2020/2021	2021/20	22 2022/2023 2023/2024	Total
AGENCY		26	5		1,215			1,189						1,215
PROGRAM -		193	35		369			176						369
IMP171002	Total	219	40	1,325	1,584	219		1,365						1,584
ProjectID	County	Air Basin	Model	RTP ID		Program	Route	Begin	End	Signage Begin	Signage End	System	Conformity Category	Amendment
IMPL507	Imperial	SSAB		REG0701		NCR36						L	EXEMPT - 93.126	1
Description:	•							PTC	20,829			Agency	IMPERIAL COUNTY	
	ojects for Bridge additional travel					m (projects	s are co	nsistent wit	h 40 CFR part	93.126 ex	empt tables	2 categorie	es - widening narrow pavements	or reconstructing
Fund	additional traver	ENG	R/W		Total	Prior	2	018/2019	2019/2020		2020/2021	2021/20	22 2022/2023 2023/2024	Total
COUNTY		Litto	10,11	1.647	1.647	321	_	.010/2010	2010/2020		117	2021720	1,209	1.647
LOCAL ADVA				1,017	1,011	1,179					-1,179		1,200	1,011
BRIDGE - LC				18,919	18,919	1,981			250		3,260		13,428	18,919
LOCAL BRID RETROFIT A				263	263						152		111	263
IMPL507 To	otal			20,829	20,829	3,481			250		2,350		14,748	20,829
ProjectID	County	Air Basin	Model	RTP ID		Program	Route	Begin	End	Signage Begin	Signage End	System	Conformity Category	Amendment
IMP170701	Imperial	SSAB		6160002		CAY60						L	EXEMPT/MODELED	1
Description:								PTC	3,000			Agency	IMPERIAL COUNTY TRANSPO COMMISSION (ICTC)	
	ast Port of Entry												California Commercial Vehicle Er	
Fund		ENG	R/W	CON	Total	Prior	2	2018/2019	2019/2020		2020/2021	2021/20	22 2022/2023 2023/2024	Total
SB1TRADE (ENHANCEMI	ENT	3,000			3,000			3,000						3,000
IMP170701	Total	3,000			3,000			3,000						3,000
ProjectID	County	Air Basin	Model	RTP ID		Program	Route	Begin	End	Signage Begin	Signage End	System	Conformity Category	Amendment
IMP161005	Imperial	SSAB		7120004		NCR30						L	EXEMPT - 93.126	0
Description:	:							PTC	720			Agency	VARIOUS AGENCIES	
Parking lot	paving and ADA	access impro	vements o						Toll Credits a					
Fund		ENG	R/W		Total		2	018/2019	2019/2020		2020/2021	2021/20	22 2022/2023 2023/2024	Total
2016 EARMA REPURPOSI		42		678	720			42	678					720
IMP161005	Total	42		678	720			42	678					720

Print Date: 12/20/2018 11:17:17 AM Page: 3 of 4

Vicinity Map







Passenger Commercial Vehicles Vehicles <u>Existing</u>

Number of Lanes:

2 NB Lanes (CV) 2 SB Lanes (CV) 4*NB Lanes (PV) 2 SB Lanes (PV)


10*Lanes Total

*3 NB Lanes (PV) per CBP (9 Lanes Total)



FOR PRELIMINARY STUDY ONLY

NO SCALE





STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION DISTRICT 11 TRADE CORRIDOR

BRIDGE WIDENING AT SR-7 CALEXICO POINT OF ENTRY, PM O.O IN IMPERIAL COUNTY 0.7 MILE SOUTH OF ROUTE 7 NEAR THE US/MEXICO BORDER


EAST WIDENING ALTERNATIVE

FOR PRELIMINARY STUDY ONLY

RELATIVE BORDER SCALE
IS IN INCHES

NO SCALE

SHEET 1 OF 2



STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION DISTRICT 11 TRADE CORRIDOR

BRIDGE WIDENING AT SR-7 CALEXICO POINT OF ENTRY, PM O.O IN IMPERIAL COUNTY 0.7 MILE SOUTH OF ROUTE 7 NEAR THE US/MEXICO BORDER

EAST WIDENING ALTERNATIVE

FOR PRELIMINARY STUDY ONLY

NO SCALE

SHEET 2 OF 2

NO SCALE

CALCULATED-DESIGNED BY R. Fallica, J.A. Perez Valdes RELATIVE BORDER SCALE
IS IN INCHES

