RTIP ID# H9-08-008

TCWG Consideration Date September 27, 2022

Current Programming Dates (as appropriate)

PE/Environmental

2017

2022

Project Description

Type of Project

Start End

The project would construct a new traffic signal, widen the existing roadway to accommodate left-turn pockets, construct curbs and gutter, sidewalks, curb ramps, crosswalks, and street lights. The project would implement a new traffic signal at the intersection of Main Street and Sultana Street/Timberlane Avenue, which would include new crosswalks. The anticipated maximum depth of excavation is 13 feet, and the anticipated height of the tallest feature (signal heights) is 30 feet. In addition, the project would construct new 6- to 7-foot sidewalks along the project area in areas where sidewalks are currently not present, and would include new curbs, curb ramps, and gutters. Street and pedestrian lighting would also be included to enhance pedestrian and motor vehicle safety in the project area. The project's regional location is depicted in Figure 1. The proposed project's street improvement plans a depicted in Figure 2 and Figure 3. The traffic signal plan is depicted in Figure 4.

Construction of the project would result in four east-west travel lanes along Main Street, including two 12-foot lanes in each direction, one 6-foot bicycle lane in each direction, and one 12-foot left-turn lane. Additionally, the project would implement two north-south travel lanes along Timberlane Avenue and Sultana Street, including one 12-foot lane in each direction, one 5-foot bicycle lane in each direction, and one 12-foot left-turn lane.

One existing utility pole located at the southwest (SW) corner of intersection would be relocated. The City would work with local utility owners for any construction activities on underground facilities, as necessary. Construction of the project, including utility relocation would be anticipated to last approximately four to six months.

Intersection signalization County Narrative Location/Route & Postmiles San At the intersection of Main Street and Timberlane Avenue/Sultana Street, between I Bernardino Avenue and Peach Avenue. Lead Agency: Caltrans District 8 / City of Hesperia **Contact Person** Phone# Fax# **Email** dburkett@cityofhesperia.us **David Burkett** 760-947-1202 **PM10 X** Hot Spot Pollutant of Concern (check one or both) PM2.5 Federal Action for which Project-Level PM Conformity is Needed (check appropriate box) **FONSI** Categorical EA or PS&E or or Χ Exclusion Draft Other Construction **Final** (NEPA) **EIS** EIS Scheduled Date of Federal Action: 2023 **NEPA Assignment – Project Type** (check appropriate box) Section 326 –Categorical Section 327 - Non-Exempt Exemption **Categorical Exemption**

Version 5.0 February 26, 2013

ENG

2020

2022

ROW

2018

2019

CON

2023

2024

Project Purpose and Need (Summary): (attach additional sheets as necessary)

Project Purpose

The purpose of the project is to improve safety at the intersection of Main Street and Sultana Street/ Timberlane Avenue in the City of Hesperia with the installation of traffic signals, widened roadways, and pedestrian facilities. The project's regional location is depicted in Figure 1. The proposed project's site plan is depicted in Figure 2.

Project Need

The intersection at Main Street and Sultana Street/Timberlane Avenue has been identified by the City as the top safety priority due to numerous vehicular collisions and fatalities that have occurred since January 2013. This intersection has drawn considerable community concern over the last 10 years.

Surrounding Land Use/Traffic Generators (especially effect on diesel traffic)

Surrounding land uses consist predominantly of residential land uses. No major land uses (e.g., industrial uses) that would have a significant effect on diesel traffic are located in the project vicinity.

Opening Year: Build and No Build LOS, AADT, % and # trucks, truck AADT of proposed facility Overall vehicle AADT, truck AADT, and truck percentages for Opening Year 2023 are summarized in Table 2. Delay and LOS for Opening Year 2023 is presented in Table 4. As depicted, the project would not result in a significant increase in overall traffic or truck volumes and would result in overall improvements in intersection LOS.

RTP Horizon Year / Design Year: Build and No Build LOS, AADT, % and # trucks, truck AADT of proposed facility

Overall vehicle AADT, truck AADT, and truck percentages for Design Year 2040 are summarized in Table 2. Delay and LOS for Design Year 2040 is presented in Table 4. As depicted, the project would not result in a significant increase in overall traffic or truck volumes and would result in overall improvements in intersection LOS.

Opening Year: If facility is an interchange(s) or intersection(s), Build and No Build cross-street AADT, % and # trucks, truck AADT

Cross-street (Sultana Street/Timberlane Avenue) vehicle AADT, truck AADT, and truck percentages for Opening Year 2023 are presented in Table 2. Opening year intersection traffic volumes are also depicted in Figure 5. As depicted, the project would not result in a significant increase in overall traffic or truck volumes and would result in overall improvements in intersection LOS.

RTP Horizon Year / Design Year: If facility is an interchange (s) or intersection(s), Build and No Build cross-street AADT, % and # trucks, truck AADT

Cross-street (Sultana Street/Timberlane Avenue) vehicle AADT, truck AADT, and truck percentages for Opening Year 2040 are presented in Table 3. Design year intersection traffic volumes are also depicted in Figure 6. As depicted, the project would not result in a significant increase in overall traffic or truck volumes and would result in overall improvements in intersection LOS.

Describe potential traffic redistribution effects of congestion relief (impact on other facilities) The proposed project would include operational improvements to the intersection of Main Street and Sultana Steet/Timberlane Avenue. The project would not result in a significant increase in overall traffic or truck volumes, nor result in significant impacts to other facilities. Opening year and future design year intersection traffic volumes are depicted in Figures 5 and 6, respectively.

Segment	No-	Build Conditi	ions	Bu	uild Conditio	ns	Change from No-Build Conditions				
Segment	Total	Truck	Truck %	Total	Truck	Truck %	Total	Truck	Truck %		
Main Street (West of Intersection)	29,600	836	3%	29,600	836	3%	0	0	0		
Main Street (East of Intersection)	28,300	822	3%	28,300	822	3%	0	0	0		
Sultana Street	500	27	5%	500	27	5%	0	0	0		
Timberlane Avenue	1,700	45	3%	1,700	45	3%	0	0	0		

TABLE 3. Design Year 2040 Traffic Summary

Cogmont	No-I	Build Conditi	ions	Bı	uild Conditio	ns	Change from No-Build Condition					
Segment	Total	Truck	Truck %	Total	Truck	Truck %	Total	Truck	Truck %			
Main Street (West of Intersection)	30,200	853	3%	30,200	853	3%	0	0	0			
Main Street (East of Intersection)	28,900	839	3%	28,900	839	3%	0	0	0			
Sultana Street	550	29	5%	550	29	5%	0	0	0			
Timberlane Avenue	1,800	48	3%	1,800	48	3%	0	0	0			

TABLE 4. Main Street and Sultana Steet/Timberlane Avenue Intersection Capacity Summary


Analysis Sagnaria	Control Type	A.M. Pe	ak-Hour	Mid-Day P	eak-Hour	P.M. Pe	ak-Hour		
Analysis Scenario	Control Type	Delay	LOS	Delay	LOS	Delay	LOS		
Existing Conditions	SSSC	22.1	С	104.4	F	57.8	F		
No-Build Opening Conditions	SSSC	23.4	С	133.0	F	65.5	F		
Build Opening Conditions	TS	7.4	Α	9.2	Α	8.9	Α		
No-Build Design Conditions	SSSC	28.6	D	186.5	F	90.3	F		
Build Design Conditions	TS	7.6	Α	9.4	Α	9.0	Α		
SSSC – Side-Street Stop Control TS – Traffic Signal Control Delay – Seconds Per Vehicle LOS – Level of Service									


Comments/Explanation/Details (attach additional sheets as necessary)


Under 40 CFR 93.123(b)—PM10 and PM2.5 Hot Spots—the following criteria are utilized to determine the potential for the proposed project to qualify as a Project of Air Quality Concern (POAQC):

- (i) New highway projects that have a significant number of diesel vehicles, and expanded highway projects that have a significant increase in the number of diesel vehicles;
 - In comparison to no-build conditions, the proposed build alternative would not significantly increase the number of diesel vehicles operating within the project study area. Refer to Table 2.
- (ii) Projects affecting intersections that are at Level-of-Service D, E, or F with a significant number of diesel vehicles, or those that will change to Level-of-Service D, E, or F because of increased traffic volumes from a significant number of diesel vehicles related to the project;
 - As noted above and depicted in Tables 2 and 3, the project would not result in significant increases in overall traffic or truck volumes along area roadways. As depicted in Tables 4, the proposed build alternative would not result in significant changes in intersection operations and would result in overall improvements in intersection LOS. Based on this information, the proposed build alternative would not significantly increase the number of diesel vehicles operating within the project study area, nor would the proposed build alternative adversely impact nearby intersections that have a significant number of diesel vehicles. Opening year and future design year intersection traffic volumes are also depicted in Figures 3 and 4, respectively.
- (iii) New bus and rail terminals and transfer points that have a significant number of diesel vehicles congregating at a single location;
 - The project is not a new or expanded bus or rail terminal, nor would the project adversely impact transfer points that have a significant number of diesel vehicles congregating at a single location.
- (iv) Expanded bus and rail terminals and transfer points that significantly increase the number of diesel vehicles congregating at a single location; and
 - The project is not a new or expanded bus or rail terminal, nor would the project adversely impact transfer points that have a significant number of diesel vehicles congregating at a single location.
- (v) Projects in or affecting locations, areas, or categories of sites which are identified in the PM10 or PM2.5 applicable implementation plan or implementation plan submission, as appropriate, as sites of violation or possible violation.
 - The proposed build alternative is not located in, nor would it affect locations, areas, or categories of sites that are identified in the PM2.5 and PM10 applicable implementation plan or implementation plan submission, as appropriate, as sites of violation or possible violation.

For the reasons noted above, the proposed project would not be considered a POAQC.












FIGURE 5. Opening Year 2023 Traffic Volumes



Source: Traffic Operations Report (David Evans and Associates 2022)

FIGURE 6. Future Design Year 2040 Traffic Volumes



Source: Traffic Operations Report (David Evans and Associates 2022)

ATTACHMENT A FTIP Project Listing

Caltrans Division of Local Assistan

Highway Safety Improvement Program (HSIP) 2019 FTIP Back-Up List, sorted by MPO, Agency and Unique Project ID #21-00 VAR SCAG015 HSIP

	M/O:				Statewide (all MPO's)														
		Backup Liet Updated On:					12/13/2019												
	Unique Project ID	HSIPT-07-007 No 7 Culver City SCAG Twelve signalized intersections on the arterial network throughout the city: 2 on Sepulveda Bivit; 7 on Real Washington Rivit on Washington Rivit on Culver Bivit and 1 on Green Valley Circle.			Description of Work	Current Total Project Cost Estimate	Current Programmed Federal Funds	Other/Local Funds	Programmed under	Programmed in 2018/19	Programmed in 2019/20	Programmed in 2020/21	Programmed in 2021/22	Approved Federal Funds					
	HSIP7-07-007				Replace existing permissive left-turn movements with protected/permissive left-turn phases (including new signal standards, mast arms, indications, detection, wiring, and controller upgrades)	\$2,083,300	\$2,083,300	\$0	\$150,000	\$0	\$0	\$1,933,300	\$0	\$2,083,300					
	H9-08-004	No	8	Desert Hot Springs	SCAG			n Road to Pierson Boulevard.	Upgrade standard pedestrian signal neads to countdown tayle pedestrian signal neads and pedestrian push buttons to accessible pedestrian signal (APS), construct continental style crosswalks with limit time.	\$206,300	\$206,300	\$0	\$0	50	\$0	\$0	\$206,300	\$206,300	
[H9-08-005	No	8	Desert Hot Springs	SCAG	Two locations along Palm Drive (just south of Buena Vista Avenue and just south of Hacienda Avenue).		vena Vista Avenue and just south of Hacienda Avenue).	Install two mid-block pedestrian crossings with enhanced safety features (construct continental crosswalks with advance yield lines, LED flashing pedestrian crossings and improve street lighting).	\$119,400	\$107,460	\$11,940	\$0	\$0	\$0	\$0	\$107,460	\$107,460	
[H9-08-006	No	8	Desert Hot Springs	SCAG	T	The intersection of Palm Drive at 8th Street.		Construct median refuges and curb bulb outs, upgrade stop signs to LED bordered stop signs, and upgrade existing crosswarks to continental crosswarks.	\$177,300	\$159,570	\$17,730	\$0	\$0	\$0	\$0	\$159,570	\$159,570	
	HB-07-007	No	7	Downey	SCAG			iver School Road and Woodruff Avenue.	Upgrade signals to provide separate left-turn phasing at 3 intersections and provide various safety improvements at other intersections.	\$1,243,100	\$1,243,100	\$0	\$100,000	\$1,543,500	\$0	80	\$0	\$1,243,100	
[HSIP7-07-008	No	7	Downey	SCAG	Paramount	Boulevard - Ga	rdendale Street to Telegraph Road	Traffic signal upgrades: Fiber optic cable, new controllers, signal hardware, equipment, intersection pedestrian countdown signal heads, safety lighting	\$1,926,300	\$1,926,300	\$0	\$187,500	\$0	\$0	\$1,738,800	\$0	\$1,926,300	
[HSIP7-07-009	No	7	Downey	SCAG	Stewart and I	iray - Old River	School Road to Firestone Boulevard	Traffic signal upgrades: Fiber optic cable, new controllers, appurtenant equipment, intersection pedestrian countdown signal heads, safety lighting	\$2,029,800	\$2,029,800	\$0	\$152,500	\$0	\$0	\$1,877,300	\$0	\$2,029,800	
[H8-08-003	No	8	Eastvale	SCAG	Forty-six	46) intersection	s throughout the City of Eastvale.	Retroft existing traditional pedestrian crossings with Countdown Pedestrian Signals at forty-six (46) locations and install audible APS Controller Units at twenty-two (22) locations.	\$250,000	\$206,500	\$43,500	\$0	\$206,500	\$0	\$0	\$0	\$206,500	
	H9-07-004	No	7	El Segundo	SCAG			Pacific Coast Highway and Isis Avenue.	Install pedestrian countdown signal heads, enhancing striping with high visibility crosswalks, and construction of ADA compilant ourb ramps.	\$341,500	\$241,500	\$0	\$0	\$241,500	\$0	\$0	\$0	\$241,500	
	HB-12-003	Valous interestions, including Edition Are at Ward St, Brookhura St at Heat Are, Harbor Shof at Lite: Are, Magnola St at Stater Are, Euclid St at Stater Are, Euclid St at Stater Are, Warmer Are at Los Jardines West, Bits Are at Bushard St All Area at Ward St, Area at Ward St.		Namer Ave at Los Jardines West, Ellis Ave at Bushard St,	Improve signal hardware: lonses, back-plates, mounting size and number; provide protected left-turn phase.	\$1,898,000	\$1,898,000	\$0	\$0	\$0	\$0	\$0	\$1,898,000	\$1,898,000					
	H8-12-004	No	12	Fulletion	SCAG	5	eventeen (17) u	insignalized intersections.	Install pedestrian warning flashing beacons.	\$296,200	\$296,200	\$0	\$0	\$296,200	\$0	\$0	\$0	\$286,200	
	H8-12-005	No 12 Fullerton SCAG Eighty-four (84) signalized intersections throughout the city.		d intersections throughout the city.	Install 589 pedestrian countdown signal heads.	\$136,600	\$136,600	\$0	\$0	\$136,600	\$0	\$0	\$0	\$136,600					
	H8-12-004	No	12 Garden Grove SCAG The intersection of Trask Avenue and Roxey Drive.		Install a new traffic signal.	\$310,000	\$310,000	\$0	\$0	\$310,000	\$0	\$0	\$0	\$310,000					
	H6-12-005	No	12	Garden Grove	SCAG	The intersection of Trask Avenue and Newland Street.		ik Avenue and Newland Street.	Install protected left-turn phasing at all directions.	\$310,000	\$312,000	\$0	\$0	\$310,000	\$0	\$0	\$0	\$310,000	
	H6-12-006	No	No 12 Garden Grove SCAG Twenty-one (21) school crossing locations throughout the City of Garden Grove.		Install speed radar feedback signs.	\$349,500	\$249,500	\$0	\$0	\$249,500	\$0	\$0	\$0	\$249,500					
	H9-07-005	No	7	Gardena	SCAG	Vernont Ave just North of 133rd St.			Install a pedestrian crosswalk with a Pedestrian Hybrid Beacon (PHB) or High-Intensity Activated Crosswalk Beacon (HAWAK) Crossing System.	\$167,800	\$167,800	\$0	\$0	\$167,800	\$0	\$0	\$0	\$167,800	
	HB-C7-608	No	7	Glendale	SCAG	various locations along it. Verbugo rocal between Lahaus little (south-spit near Gentland Control of College) and Canada Blvd (north-spit near Merilo Drive), including five (5) signalized intersections, and the college) and Canada Blvd (north-spit near Merilo Drive), including five (5) signalized intersections, and the		Drive), including five (5) signalized intersections, and the	Install safety improvements, including dynamic speed warning signs, traffic signal visibility improvements, and dilemma zone detection.	\$1,259,200	\$1,298,200	\$0	\$150,000	\$1,109,200	\$0	\$0	\$0	\$1,259,200	
	H9-07-006	No	7	Cliendale	SCAG	Four (4):	non-signalized in	ntersections throughout Cliendale.	Install solar-powered Rectangular Rapid Flashing Beacons (RRFBs) with Buildog pedestrian push buttons: thermodistic blob visibility concessis sticking & street makings, and retroeffective sizerion.	\$275,000	\$247,500	\$27,500	\$0	\$247,500	\$0	\$0	\$0	\$247,500	
H9-08	08-008 No 8 Hesperia SCAG The intersecti				ection of Main Street and Timberlane Avenue/Sultana Str	reet.		fic signal; wid ramps, cross											
	H8-08-004	No	8	Grand Terrace	SCAG	Three (3) uncontrolled four-way		ns and two (2) signalized intersections along Mr. Vernon Avenue.	Upgrade intersection and crosswalk pavement markings, install advanced speed feedback warning signs, and install segment lighting.	\$435,700	\$435,700	\$0	\$37,400	\$398,300	\$0	\$0	\$0	\$435,700	
[HS-08-007	No	8	Grand Terrace	SCAG	Various sections of Barton Road		Avenue, Vista Grande Way and Vivienda Avenue, in the d Terrace and Colton.	Upgrade existing guardraits to meet the current standards.	\$648,300	\$648,300	\$0	\$0	\$648,300	\$0	50	\$0	\$648,300	
[HB-07-009	No	7	Hawalian Gardens	SCAG	Various signalized intersections along Carson St. between Western City Limit (Pioneer Blvd) and Eastern City Limit (Bloomfield Avs).		etween Western City Limit (Ploneer Blvd) and Eastern City Isoonfield Ave).	Install traffic signal hardware improvements.	\$397,500	\$397,500	\$0	\$0	\$0	\$397,500		\$0	\$397,500	
\ [HB-07-010	No	7	Hawalian Gardens	SCAG	Various intersections on Norwalk Blvd between 214th St and 226th St.			Install traffic signal improvements.	\$516,000	\$464,400	\$51,600	\$0		\$464,400	\$0	\$0	\$464,400	
\[HSIP7-07-010	No	7	Hawthorne	SCAG	1.3 mile section of 120th Street from Plainie Avenue to Felton Avenue			Traffic signal upgrades (upgrade signals, controllers and detection) and coordination at eight signalized intersections and improve crossings and signage at spot locations in the corridor	\$1,500,800	\$1,305,800	\$156.500	\$0	\$0	\$0	\$1,305,800	\$0	\$1,305,800	
V	H8-08-005	No	8	Hernet	SCAG	Signatured intersections on the fol Lyon Ave, Sanderson Ave, State	owing combors. St, and Stetson	Cawston Ave, Domenigoni Pkwy, Krby St, Latham Ave, St; Mountain Ave & Sobobe St, Warren Rd & Mustang We	Install LEO luminaire safety lighting and pedestrian countdown signal heads.	\$985,900	#100000	\$0	\$55,000	\$990,900	\$0	\$0	\$0	\$985,900	
	H9-08-008	No	8	Hesperia	SCAG	The intersection of Main Street and Timbertane Avenue/Sultana Street.		and Timberlane Avenue/Sultana Street.	Install a traffic signal; widen roadway to accommodate left turn pockets; install curts, gutter, sidewalk, curb ramps, crosswalks, and lighting: provide pedestrian phasing and countdown timers.	\$1,214,300	\$899,300	\$315,000	\$0	\$899,300	\$0	\$0	\$0	\$899,300	
Ī	HSIP7-08-004	No	8	Hesperia	SCAG		On Main Street	ef at Balsam Avenue	Construct raised curb island median, install street lighting, and improve signing and striping	\$232,300	\$209,070	\$23,230	\$0	\$0	\$0	\$0	\$209,070	\$209,070	
		H8-11-008 No 11 Imperial County SCAG SR-86 at Heber Curve.		Eliminate curve; install 4-way stop; install southbound left turn lane and dedicated westbound right turn		\$2,515,000				\$2,155,000	50	\$0	\$2,515,000						

Source: SCAG. March 2021. Final 2021 Federal Transportation Improvement Program. Technical Appendix. Volume III of III/Part B. Website url: https://scag.ca.gov/sites/main/files/file-attachments/f2021-ftip-project-listing-b.pdf?1614888012.

Page 2 of 8